2

CLAIMS

What is claimed is:

1	1.	A method for managing content for output on a wheless device, comprising.
2	(a)	displaying content selected for output on a wireless device on a management
3		screen, wherein the content is displayed substantially as it will be displayed on
4		the wireless device;
5	(b)	allowing organization of the content;
6	(c)	allowing formatting of the content;
7	(d)	allowing creation of a link to content; and
8	(e)	allowing addition of text for output on the wireless device.
1	2.	The method as recited in claim 1, wherein the content is first aggregated in a
2		habitat.
1	3.	The method as recited in claim 1, wherein a graphic is imported directly from a
2		data source for output on the wireless device.
1	4.	The method as recited in claim 1, wherein a link is dragged and dropped into the

- 1 5. The method as recited in claim 1, wherein a maximum character length of text
- 2 content displayed upon selection of a link on the wireless device is configurable.
- 1 6. The method as recited in claim 1, wherein a number of lines of text content
- 2 displayed upon selection of a link on the wireless device is configurable.

management screen.

- 1 7. The method as recited in claim 1, wherein the content is a table.
- 1 8. The method as recited in claim 1, wherein a preview of the content as the
- 2 content is displayed on the wireless device is output.
- 1 9. The method as recited in claim 1, wherein the wireless device is at least one of a
- 2 personal digital assistant (PDA), a handheld computer, a wireless telephone, a
- device connected to a wireless modem, a pager, and a standard telephone that
- 4 transmits text-to-speech audio output.
- 1 10. A computer program product for managing content for output on a wireless
- device, comprising:
- 3 (a) computer code for displaying content selected for output on a wireless device on
- a management screen, wherein the content is displayed substantially as it will be
- 5 displayed on the wireless device;
- 6 (b) computer code for allowing organization of the content;
- 7 (c) computer code for allowing formatting of the content;
- 8 (d) computer code for allowing creation of a link to content; and
- 9 (e) computer code for allowing addition of text for output on the wireless device.
- 1 11. The computer program product as recited in claim 10, wherein the content is
- 2 first aggregated in a habitat.
- 1 12. The computer program product as recited in claim 10, wherein a graphic is
- 2 imported directly from a data source for output on the wireless device.
- 1 13. The computer program product as recited in claim 10, wherein a link is dragged
- 2 and dropped into the management screen.

1	14.	The computer program product as recited in claim 10, wherein a maximum
2		character length of text content displayed upon selection of a link on the
3		wireless device is configurable.

- 1 15. The computer program product as recited in claim 10, wherein a number of lines of text content displayed upon selection of a link on the wireless device is configurable.
- 1 16. The computer program product as recited in claim 10, wherein the content is a table.
- 1 17. The computer program product as recited in claim 10, wherein a preview of the content as the content is displayed on the wireless device is output.
- The computer program product as recited in claim 10, wherein the wireless device is at least one of a personal digital assistant (PDA), a handheld computer, a wireless telephone, a device connected to a wireless modem, a pager, and a standard telephone that transmits text-to-speech audio output.
- 1 19. A system for managing content for output on a wireless device, comprising:
- 2 (a) logic for displaying content selected for output on a wireless device on a
- management screen, wherein the content is displayed substantially as it will be
- 4 displayed on the wireless device;
- 5 (b) logic for allowing organization of the content;
- 6 (c) logic for allowing formatting of the content;
- 7 (d) logic for allowing creation of a link to content; and
- 8 (e) logic for allowing addition of text for output on the wireless device.

- 1 20. The system as recited in claim 19, wherein the content is first aggregated in a habitat.
- 1 21. The system as recited in claim 19, wherein a graphic is imported directly from a data source for output on the wireless device.
- The system as recited in claim 19, wherein a link is dragged and dropped into the management screen.
- The system as recited in claim 19, wherein a maximum character length of text content displayed upon selection of a link on the wireless device is configurable.
- The system as recited in claim 19, wherein a number of lines of text content displayed upon selection of a link on the wireless device is configurable.
- 1 25. The system as recited in claim 19, wherein the content is a table.
- The system as recited in claim 19, wherein a preview of the content as the content is displayed on the wireless device is output.
- The system as recited in claim 19, wherein the wireless device is at least one of a personal digital assistant (PDA), a handheld computer, a wireless telephone, a device connected to a wireless modem, a pager, and a standard telephone that transmits text-to-speech audio output.
- 1 28. A method for managing content for output on a wireless device, comprising:
- 2 (a) aggregating content selected for output on a wireless device in a habitat;
- 3 (b) displaying the content on a management screen;
- 4 (c) allowing organization of the content;

- 5 (d) allowing formatting of the content;
- 6 (e) allowing creation of links to content;
- 7 (f) converting the content into a format amenable to display on a wireless device;
- 8 and
- 9 (g) transmitting the converted content to a wireless device.
- 1 29. The method as recited in claim 28, wherein a link is dragged and dropped in the
- 2 management screen.
- 1 30. The method as recited in claim 28, wherein a maximum character length of text
- 2 content displayed upon selection of a link on a wireless device is configurable.
- 1 31. The method as recited in claim 28, wherein a number of lines of text content
- displayed upon selection of a link on the wireless device is configurable.
- 1 32. The method as recited in claim 28, wherein the content is a table.
- 1 33. The method as recited in claim 28, wherein a preview of the content as the
- 2 content is displayed on the wireless device is output.
- 1 34. The method as recited in claim 28, wherein the wireless device is at least one of
- a personal digital assistant (PDA), a handheld computer, a wireless telephone, a
- device connected to a wireless modem, a pager, and a standard telephone that
- 4 transmits text-to-speech audio output.
- 1 35. The method as recited in claim 28, wherein the wireless device is at least one of
- a personal digital assistant (PDA), a handheld computer, a wireless telephone, a
- device connected to a wireless modem, and a pager.

1	36.	A method for structuring navigation data in a wireless publisher, comprising:
2	(a)	aggregating content selected for output on a wireless device in a habitat having
3		views, each of the views having windows associated therewith;
4	(b)	depicting an identifier of each of the views in a navigation tree;
5	(c)	showing identifiers of the windows under the identifier of the associated view in
6		the navigation tree;
7	(d)	displaying links of the windows under the identifiers of the associated windows;
8		and
9	(e)	allowing linking from one window in one view to another window in another
10		view using the navigation tree.
1	37.	The method as recited in claim 36, wherein a link is created in a window upon
2		dragging a link onto the identifier of the window in the navigation tree
	20	
1	38.	A method for presenting a preview of content on a display of a wireless device,
2	()	comprising:
3	(a)	aggregating content selected for output on a wireless device in a habitat;
4	(b)	displaying the content on a management screen amenable to allowing formatting
5		of the content; and
6	(c)	presenting a preview of the content as displayed on the wireless device.
1	39.	The method as recited in claim 38, wherein the preview further includes a
_	37.	-
2		depiction of a chassis of the wireless device.
1	40.	A method for managing content for output on a wireless device, comprising:
2	(a)	aggregating content selected for output on a wireless device in a habitat;
3	(b)	displaying content selected for output on a wireless device on a management

screen, wherein the content is displayed substantially as it will be displayed on

the wireless device, wherein the wireless device is at least one of a personal

45

- 6 digital assistant (PDA), a handheld computer, a wireless telephone, a device 7 connected to a wireless modem, a pager, and a standard telephone that transmits 8 text-to-speech audio output; 9 (c) allowing organization of the content; 10 (d) allowing formatting of the content; 11 (e) allowing creation of a link to content; 12 (f) allowing addition of text for output on the wireless device;
- 12 (a) converting the content into a format amonable to display on a wireless de-
- 13 (g) converting the content into a format amenable to display on a wireless device; 14 and
- 15 (h) transmitting the converted content to a wireless device.
- 1 41. The method as recited in claim 40, further comprising formatting text content 2 for audible output on the wireless device.
- 1 42. The method as recited in claim 40, further comprising formatting text content 2 for audible output on a wired device.
- 1 43. The method as recited in claim 1, further comprising formatting text content for audible output on the wireless device.
- 1 44. The method as recited in claim 1, further comprising formatting text content for audible output on a wired device.